

Curriculum Vitæ

Dmitri G. Fedorov

Present affiliation

Senior Researcher

Research Center for Computational Design of Advanced Functional Materials
(CD-FMat), quantum chemistry and molecular simulation team

National Institute of Advanced Industrial Science and Technology (AIST)

Central 2, Umezono 1-1-1, Tsukuba, 305-8568, Japan

TEL: +81-29-861-7218

E. mail: d.g.fedorov@aist.go.jp

Education

M.S. in Chemistry

Saint Petersburg State University, Russia, 1988-1993

Ph.D. in Chemistry

Iowa State University, USA, 1994-1999

Professional experience

2002-now AIST, Japan, senior researcher

1999-2002 postdoctoral researcher, the University of Tokyo, Japan

1996-1999 research assistant, Iowa State University, USA

1994-1996 teaching assistant, Iowa State University, USA

Current research topics

Development and applications of the fragment molecular orbital method.

Study of molecular interactions.

Parallelization of quantum-mechanical methods for high-performance computing.

Awards

1. JSPS Fellowship, 2000-2001

2. The best technical paper award, Supercomputing 2005, Seattle, USA.

T. Ikegami, T. Ishida, D. G. Fedorov, K. Kitaura, Y. Inadomi, H. Umeda,
M. Yokokawa, S. Sekiguchi, Full electron calculation beyond 20,000
atoms: ground electronic state of photosynthetic proteins.

Publications

Regular reviewed papers

1. D. G. Fedorov, M. Evans, Y. Song, M. S. Gordon, C. Y. Ng. An experimental and theoretical study of the spin-orbit interaction for $\text{CO}^+(A\ ^2\Pi_{3/2,1/2}, v^+ = 0-41)$ and $\text{O}_2^+(X\ ^2\Pi_{3/2,1/2g}, v^+ = 0-38)$. J. Chem. Phys. 111 (1999) 6413-6421.
2. D. G. Fedorov, M. S. Gordon. A study of the relative importance of one and two-electron contributions to spin-orbit coupling. J. Chem. Phys. 112 (2000) 5611-5623.
3. J. Moc, D. G. Fedorov, M. S. Gordon. A theoretical study of the reaction of Ti^+ with ethane. J. Chem. Phys. 112 (2000) 10247-10258.
4. D. G. Fedorov, M. S. Gordon. A theoretical study of the reaction paths for cobalt cation + propane, J. Phys. Chem. A 104 (2000) 2253-2260.
5. D. G. Fedorov, T. Nakajima, K. Hirao. Analytic gradient for the relativistic elimination of small components (RESC) approach. Chem. Phys. Lett. 335 (2001) 183-187.
6. S. Koseki, D. G. Fedorov, M. W. Schmidt, M. S. Gordon. Spin-orbit splittings in the third-row transition elements: comparison of effective nuclear charge and full Breit-Pauli calculations. J. Phys. Chem. A 105 (2001) 8262-8268.
7. D. G. Fedorov, M. S. Gordon, Y. Song, C. Y. Ng. Theoretical study of spin-orbit coupling constants for $\text{O}_2^+(A\ ^2\Pi_{3/2,1/2u}, v^+ = 0-17)$ and $a\ ^4\Pi_{5/2,3/2,1/2,-1/2u}, v^+ = 0-25)$. J. Chem. Phys. 115 (2001) 7393-7400.
8. D. G. Fedorov, J. P. Finley. Spin-orbit multireference multistate perturbation theory. Phys. Rev. A 64 (2001) 042502.
9. S. Koseki, Y. Ishihara, H. Umeda, D. G. Fedorov, M. S. Gordon. Dissociation potential curves of low-lying states in transition metal hydrides. I. Hydrides of group 4. J. Phys. Chem. A 106 (2002) 785-794.
10. H. A. Witek, D. G. Fedorov, K. Hirao, A. Viel, P.-O. Widmark. Theoretical study of the unusual potential energy curve of the $A\ ^1\Sigma^+$ state of AgH. J. Chem. Phys. 116 (2002) 8396-8406.
11. D. G. Fedorov, M. Klobukowski. Spin-orbit coupling with model core potentials. Chem. Phys. Lett. 360 (2002) 223-228.
12. W. Lie, D. G. Fedorov, K. Hirao. Theoretical Study of the reaction $\text{XY}_4 = \text{XY}_3 + \text{Y}$, where $\text{X} = \text{C}, \text{Si}, \text{Ge}, \text{Sn}, \text{Pb}$ and $\text{Y} = \text{CH}_3, \text{C}_2\text{H}_5$. J. Phys. Chem. A 106 (2002) 7057-7061.
13. D. Ajitha, D. G. Fedorov, J. P. Finley, K. Hirao. Photodissociation of alkyl and aryl iodides and effect of fluorination: Analysis of proposed mechanisms and vertical excitations by spin-orbit ab initio study. J. Chem. Phys. 117 (2002) 7068-7076.
14. D. G. Fedorov, T. Nakajima, K. Hirao. An ab initio study of excited states of U and UF. J. Chem. Phys. 118 (2003) 4970-4975.
15. Y. Komeiji, T. Nakano, K. Fukuzawa, Y. Ueno, Y. Inadomi, T. Nemoto, M. Uebayasi, D. G. Fedorov, K. Kitaura. Fragment molecular orbital method: application to molecular dynamics simulation, 'ab initio FMO-MD'. Chem. Phys. Lett. 372 (2003) 342-347.
16. D. G. Fedorov, R. M. Olson, K. Kitaura, M. S. Gordon, S. Koseki. A new hierarchical parallelization scheme: generalized distributed data interface (GDDI), and an

- application to the fragment molecular orbital method (FMO). *J. Comput. Chem.* 25 (2004) 872-880.
17. D. G. Fedorov, K. Kitaura. The importance of three-body terms in the fragment molecular orbital method. *J. Chem. Phys.* 120 (2004) 6832-6840.
 18. D. G. Fedorov, K. Kitaura. On the accuracy of the 3-body fragment molecular orbital method (FMO) applied to density functional theory. *Chem. Phys. Lett.* 389 (2004) 129-134.
 19. S. Koseki, Y. Ishihara, D. G. Fedorov, H. Umeda, M. W. Schmidt, M. S. Gordon. Dissociation Potential Curves of Low-Lying States in Transition Metal Hydrides. 2. Hydrides of Groups 3 and 5. *J. Phys. Chem. A* 108 (2004) 4707-4719.
 20. D. G. Fedorov, K. Kitaura. Second order Møller-Plesset perturbation theory based upon the fragment molecular orbital method. *J. Chem. Phys.* 121 (2004) 2483-2490.
 21. D. G. Fedorov, K. Kitaura. Multiconfiguration self-consistent-field theory based upon the fragment molecular orbital method. *J. Chem. Phys.* 122 (2005) 054108.
 22. D. G. Fedorov, T. Ishida, K. Kitaura. Multilayer formulation of the fragment molecular orbital method (FMO). *J. Phys. Chem. A* 109 (2005) 2638-2646.
 23. D. G. Fedorov, K. Kitaura. Coupled-cluster theory based upon the fragment molecular-orbital method. *J. Chem. Phys.* 123 (2005) 134103.
 24. T. Ikegami, T. Ishida, D. G. Fedorov, K. Kitaura, Y. Inadomi, H. Umeda, M. Yokokawa, S. Sekiguchi. Full electron calculation beyond 20,000 atoms: ground electronic state of photosynthetic proteins. *Proc. of Supercomputing 2005*, IEEE Computer Society, Seattle, 2005.
 25. T. Nemoto, D. G. Fedorov, M. Uebayasi, K. Kanazawa, K. Kitaura, Y. Komeiji. Ab initio fragment molecular orbital (FMO) method applied to analysis of the ligand-protein interaction in a pheromone-binding protein. *Comput. Biol. Chem.* 29 (2005) 434-439.
 26. T. Ishida, D. G. Fedorov, K. Kitaura. All electron quantum chemical calculation of the entire enzyme system confirms a collective catalytic device in the chorismate mutase reaction. *J. Phys. Chem. B* 110 (2006) 1457-1463.
 27. D. G. Fedorov, K. Kitaura, H. Li, J. H. Jensen, M. S. Gordon. The polarizable continuum model (PCM) interfaced with the fragment molecular orbital method (FMO). *J. Comput. Chem.* 27 (2006) 976-985.
 28. P. V. Avramov, P. B. Sorokin, A. S. Fedorov, D. G. Fedorov, Y. Maeda. Band-gap unification of partially Si-substituted single-wall carbon nanotubes. *Phys. Rev. B* 74 (2006) 245417.
 29. D. G. Fedorov, K. Kitaura. The three-body fragment molecular orbital method for accurate calculations of large systems. *Chem. Phys. Lett.* 433 (2006) 182-187.
 30. D. G. Fedorov, K. Kitaura. Pair interaction energy decomposition analysis. *J. Comput. Chem.* 28 (2007) 222-237.
 31. D. G. Fedorov, T. Ishida, M. Uebayasi, K. Kitaura. The fragment molecular orbital method for geometry optimizations of polypeptides and proteins. *J. Phys. Chem. A* 111 (2007) 2722-2732.
 32. D. G. Fedorov, K. Ishimura, T. Ishida, K. Kitaura, P. Pulay, S. Nagase. Accuracy of the three-body fragment molecular orbital method applied to Møller-Plesset perturbation theory. *J. Comput. Chem.* 28 (2007) 1476-1484.

33. I. Nakanishi, D. G. Fedorov, K. Kitaura. Molecular recognition mechanism of FK506 binding protein: An all-electron fragment molecular orbital study. *Proteins: Struct., Funct., Bioinf.* 68 (2007) 145-158.
34. Y. Komeiji, T. Ishida, D. G. Fedorov, K. Kitaura. Change in a protein's electronic structure induced by an explicit solvent: An ab initio fragment molecular orbital study of ubiquitin. *J. Comput. Chem.* 28 (2007) 1750-1762.
35. M. Chiba, D. G. Fedorov, K. Kitaura. Time-dependent density functional theory with the multilayer fragment molecular orbital method. *Chem. Phys. Lett.* 444 (2007) 346-350.
36. Q. Gao, S. Yokojima, T. Kohno, T. Ishida, D. G. Fedorov, K. Kitaura, M. Fujihira, S. Nakamura, Ab initio NMR chemical shift calculations on proteins using fragment molecular orbitals with electrostatic environment. *Chem. Phys. Lett.* 445 (2007) 331-339.
37. M. Chiba, D. G. Fedorov, K. Kitaura. Time-dependent density functional theory based upon the fragment molecular orbital method. *J. Chem. Phys.* 127 (2007) 104108.
38. P. V. Avramov, D. G. Fedorov, P. B. Sorokin, L. A. Chernozatonskii, M. S. Gordon. Atomic and electronic structure of new hollow-based symmetric families of silicon nanoclusters. *J. Phys. Chem. C* 111 (2007) 18824-18830.
39. P. V. Avramov, D. G. Fedorov, P. B. Sorokin, L. A. Chernozatonskii, S. G. Ovchinnikov. Quantum dots embedded into silicon nanowires effectively partition electron confinement. *J. Appl. Phys.* 104 (2008) 054305.
40. P. B. Sorokin, P. V. Avramov, L. A. Chernozatonskii, D. G. Fedorov, S. G. Ovchinnikov. Atypical quantum confinement effect in silicon nanowires. *J. Phys. Chem. A* 112 (2008) 9955-9964.
41. M. Chiba, D. G. Fedorov, K. Kitaura, Polarizable continuum model with the fragment molecular orbital-based time-dependent density functional theory. *J. Comput. Chem.* 29 (2008) 2667-2676.
42. H. Fukunaga, D. G. Fedorov, M. Chiba, K. Nii, K. Kitaura. Theoretical analysis of the intermolecular interaction effects on the excitation energy of organic pigments: solid state quinacridone. *J. Phys. Chem. A* 112 (2008) 10887-10894.
43. D. G. Fedorov, J. H. Jensen, R. C. Deka, K. Kitaura. Covalent bond fragmentation suitable to describe solids in the fragment molecular orbital method. *J. Phys. Chem. A* 112 (2008) 11808-11816.
44. K. Murata, D. G. Fedorov, I. Nakanishi, K. Kitaura. Cluster hydration model for binding energy calculations of protein-ligand complexes. *J. Phys. Chem. B* 113 (2009) 809-817.
45. T. Sawada, D. G. Fedorov, K. Kitaura. Structural and interaction analysis of helical heparin oligosaccharides with the fragment molecular orbital method. *Int. J. Quant. Chem.* 109 (2009) 2033-2045.
46. M. Chiba, D. G. Fedorov, T. Nagata, K. Kitaura. Excited state geometry optimizations by time-dependent density functional theory based on the fragment molecular orbital method. *Chem. Phys. Lett.* 474 (2009) 227-232.
47. T. Nagata, D. G. Fedorov, K. Kitaura. Derivatives of the approximated electrostatic potentials in the fragment molecular orbital method. *Chem. Phys. Lett.* 475 (2009) 124-131.

48. T. Nagata, D. G. Fedorov, K. Kitaura, M. S. Gordon, A combined effective fragment potential - fragment molecular orbital method. I. The energy expression and initial applications. *J. Chem. Phys.* 131 (2009) 024101.
49. D. G. Fedorov, P. V. Avramov, J. H. Jensen, K. Kitaura. Analytic gradient for the adaptive frozen orbital bond detachment in the fragment molecular orbital method. *Chem. Phys. Lett.* 477 (2009) 169-175.
50. P. V. Avramov, D. G. Fedorov, S. Irle, A. A. Kuzubov, K. Morokuma. Strong electron correlations determine energetic stability and electronic properties of Er-doped Goldberg-type silicon quantum dots, *J. Phys. Chem. C* 113 (2009) 15964-15968.
51. T. Zeng, D. G. Fedorov, M. Klobukowski, Model core potentials for studies of scalar-relativistic effects and spin-orbit coupling at Douglas-Kroll level. I. Theory and applications to Pb and Bi. *J. Chem. Phys.* 131, 124109 (2009).
52. D. G. Fedorov, K. Kitaura. The role of the exchange in the embedding electrostatic potential for the fragment molecular orbital method. *J. Chem. Phys.* 131 (2009) 171106.
53. T. Ikegami, T. Ishida, D. G. Fedorov, K. Kitaura, Y. Inadomi, H. Umeda, M. Yokokawa, S. Sekiguchi. Fragment molecular orbital study of the electronic excitations in the photosynthetic reaction center of *Blastochloris viridis*. *J. Comp. Chem.* 31 (2010) 447-454.
54. S. R. Pruitt, D. G. Fedorov, K. Kitaura, M. S. Gordon. Open-shell formulation of the fragment molecular orbital method. *J. Chem. Theory Comp.* 6 (2010) 1-5.
55. H. Li, D. G. Fedorov, T. Nagata, K. Kitaura, J. H. Jensen, M. S. Gordon. Energy gradients in combined fragment molecular orbital and polarizable continuum model (FMO/PCM) calculation. *J. Comp. Chem.* 31 (2010) 778-790.
56. T. Zeng, D. G. Fedorov, M. Klobukowski. Multireference study of spin-orbit coupling in the hydrides of the 6p-block elements using the model core potential method. *J. Chem. Phys.* 132 (2010) 074102.
57. Q. Gao, S. Yokojima, D. G. Fedorov, K. Kitaura, M. Sakurai, S. Nakamura. Fragment-molecular-orbital-method-based ab initio NMR chemical-shift calculations for large molecular systems. *J. Chem. Theory Comp.* 6 (2010) 1428-1444.
58. T. Nagata, D. G. Fedorov, K. Kitaura. Importance of the hybrid orbital operator derivative term for the energy gradient in the fragment molecular orbital method. *Chem. Phys. Lett.* 492 (2010) 302-308.
59. C. Steinmann, D. G. Fedorov, J. H. Jensen. Effective fragment molecular orbital method: a merger of the effective fragment potential and fragment molecular orbital methods. *J. Phys. Chem. A* 114 (2010) 8705-8712.
60. D. G. Fedorov, L. V. Slipchenko, K. Kitaura. Systematic study of the embedding potential description in the fragment molecular orbital method. *J. Phys. Chem. A* 114 (2010) 8742-8753.
61. T. Zeng, D. G. Fedorov, M. Klobukowski. Model core potentials of p-block elements generated considering the Douglas-Kroll relativistic effects, suitable for accurate spin-orbit coupling calculations. *J. Chem. Phys.* 133 (2010) 114107.
62. T. Sawada, D. G. Fedorov, K. Kitaura. Role of the key mutation in the selective binding of avian and human influenza hemagglutinin to sialosides revealed by quantum-mechanical calculations. *J. Am. Chem. Soc.* 132 (2010) 16862-16872.

63. T. Sawada, D. G. Fedorov, K. Kitaura. Binding of influenza A virus hemagglutinin to the sialoside receptor is not controlled by the homotropic allosteric effect. *J. Phys. Chem. B* 114 (2010) 15700-15705.
64. T. Zeng, D. G. Fedorov, M. Klobukowski. Performance of dynamically weighted multiconfiguration self-consistent field and spin-orbit coupling calculations of diatomic molecules of Group 14 elements. *J. Chem. Phys.* 134 (2011) 024108.
65. T. Nagata, D. G. Fedorov, T. Sawada, K. Kitaura, M. S. Gordon. A combined effective fragment potential - fragment molecular orbital method. II. Analytic gradient and application to the geometry optimization of solvated tetraglycine and chignolin. *J. Chem. Phys.* 134 (2011) 034110.
66. D. G. Fedorov, Y. Alexeev, K. Kitaura. Geometry optimization of the active site of a large system with the fragment molecular orbital method. *J. Phys. Chem. Lett.* 2 (2011) 282-288.
67. T. Nagata, K. Brorsen, D. G. Fedorov, K. Kitaura, M. S. Gordon. Fully analytic energy gradient in the fragment molecular orbital method. *J. Chem. Phys.* 134 (2011) 124115.
68. T. Zeng, D. G. Fedorov, M. W. Schmidt, M. Klobukowski. Two-component natural spinors from two-step spin-orbit coupled wave functions. *J. Chem. Phys.* 134 (2011) 214107.
69. T. Nagata, D. G. Fedorov, K. Ishimura, K. Kitaura. Analytic energy gradient for second-order Moeller-Plesset perturbation theory based on the fragment molecular orbital method. *J. Chem. Phys.* 135 (2011) 044110.
70. T. Zeng, D. G. Fedorov, M. W. Schmidt, M. Klobukowski. Effects of spin-orbit coupling on covalent bonding and the Jahn-Teller effect are revealed with the natural language of spinors. *J. Chem. Theory Comput.* 7 (2011) 2864-2875.
71. G. D. Fletcher, D. G. Fedorov, S. R. Pruitt, T. L. Windus, M. S. Gordon. Large-scale MP2 calculations on the Blue Gene architecture using the fragment molecular orbital method. *J. Chem. Theory Comput.* 8 (2012) 75-79.
72. D. G. Fedorov, K. Kitaura. Energy decomposition analysis in solution based on the fragment molecular orbital method. *J. Phys. Chem. A* 116 (2012) 704-719.
73. T. Nagata, D. G. Fedorov, K. Kitaura. Analytic gradient and molecular dynamics simulations using the fragment molecular orbital method combined with effective potentials. *Theor. Chem. Acc.* 131 (2012) 1136.
74. A. A. Kuzubov, A. S. Fedorov, N. S. Eliseeva, F. N. Tomilin, P. V. Avramov, D. G. Fedorov. High-capacity electrode material BC₃ for lithium batteries proposed by ab initio simulations. *Phys. Rev. B* 85 (2012) 195415.
75. T. Nagata, D. G. Fedorov, H. Li, K. Kitaura. Analytic gradient for second order Møller-Plesset perturbation theory with the polarizable continuum model based on the fragment molecular orbital method. *J. Chem. Phys.* 136 (2012) 204112.
76. S. R. Pruitt, D. G. Fedorov, M. S. Gordon. Geometry optimizations of open-shell systems with the fragment molecular orbital method. *J. Phys. Chem. A* 116 (2012) 4965-4974.
77. P. V. Avramov, D. G. Fedorov, P. B. Sorokin, S. Sakai, S. Entani, M. Ohtomo, Y. Matsumoto, H. Naramoto. Intrinsic Edge Asymmetry in Narrow Zigzag Hexagonal Heteroatomic Nanoribbons Causes their Subtle Uniform Curvature. *J. Phys. Chem. Lett.* 3 (2012) 2003-2008.

78. C. Steinmann, D. G. Fedorov, J. H. Jensen. The effective fragment molecular orbital method for fragments connected by covalent bonds. PLoS ONE 7 (2012) e41117.
79. H. Nakata, D. G. Fedorov, T. Nagata, S. Yokojima, K. Ogata, K. Kitaura, S. Nakamura. Unrestricted Hartree-Fock based on the fragment molecular orbital method: Energy and its analytic gradient. J. Chem. Phys. 137 (2012) 044110.
80. C. H. Choi, D. G. Fedorov. Reducing the scaling of the fragment molecular orbital method using the multipole method. Chem. Phys. Lett. 543 (2012) 159-165.
81. T. Nagata, D. G. Fedorov, K. Kitaura. Analytic gradient for the embedding potential with approximations in the fragment molecular orbital method. Chem. Phys. Lett. 544 (2012) 87-93.
82. N. Asada, D. G. Fedorov, K. Kitaura, I. Nakanishi, K. M. Merz, Jr. An efficient method to evaluate intermolecular interaction energies in large systems using overlapping multicenter ONIOM and the fragment molecular orbital method. J. Phys. Chem. Lett. 3 (2012) 2604-2610.
83. T. Zeng, D. G. Fedorov, M. W. Schmidt, M. Klobukowski. Natural spinors reveal how the spin-orbit coupling affects the Jahn-Teller distortions in the hexafluorotungstate(V) anion. J. Chem. Theory Comput. 8 (2012) 3061-3071.
84. T. Nagata, D. G. Fedorov, T. Sawada, K. Kitaura. Analysis of solute-solvent interactions in the fragment molecular orbital method interfaced with effective fragment potentials: theory and application to a solvated griffithsin-carbohydrate complex. J. Phys. Chem. A 116 (2012) 9088-9099.
85. Y. Alexeev, A. Mahajan, S. Leyffer, G. Fletcher, D. G. Fedorov. Heuristic static load-balancing algorithm applied to the fragment molecular orbital method. Proc. Supercomputing 2012, IEEE Computer Society, Salt Lake City, 2012.
86. M. C. Green, D. G. Fedorov, K. Kitaura, J. S. Francisco, L. V. Slipchenko. Open-shell pair interaction energy decomposition analysis (PIEDA): Formulation and application to the hydrogen abstraction in tripeptides. J. Chem. Phys. 138 (2013) 074111.
87. C. Steinmann, D. G. Fedorov, J. H. Jensen. Mapping enzymatic catalysis using the effective fragment molecular orbital method: towards all ab initio biochemistry. PLoS ONE 8 (2013) e60602.
88. H. Nakata, T. Nagata, D. G. Fedorov, S. Yokojima, K. Kitaura, S. Nakamura. Analytic second derivatives of the energy in the fragment molecular orbital method. J. Chem. Phys. 138 (2013) 164103.
89. D. G. Fedorov, Y. Sugita, C. H. Choi. Efficient parallel implementations of QM/MM-REMD (quantum mechanical/molecular mechanics-replica-exchange MD) and umbrella sampling: isomerization of H₂O₂ in aqueous solution. J. Phys. Chem. B 117 (2013) 7996-8002.
90. L. Roskop, D. G. Fedorov, M. S. Gordon. Diffusion energy profiles in silica mesoporous molecular sieves modeled with the fragment molecular orbital method. Mol. Phys. 111 (2013) 1622-1629.
91. S. R. Pruitt, S. S. Leang, P. Xu, D. G. Fedorov, M. S. Gordon. Hexamers and witchamers: Which hex do you choose? Comp. Theor. Chem. 1021 (2013) 70-83.
92. Q. Gao, S. Yokojima, D. G. Fedorov, K. Kitaura, M. Sakurai, S. Nakamura. Octahedral point-charge model and its application to fragment molecular orbital calculations of chemical shifts. Chem. Phys. Lett. 593 (2014) 165-173.

93. A. S. Christensen, C. Steinmann, D. G. Fedorov, J. H. Jensen. Hybrid RHF/MP2 geometry optimizations with the effective fragment molecular orbital method. PLoS ONE 9 (2014) e88800.
94. D. G. Fedorov, K. Kitaura. Use of an auxiliary basis set to describe the polarization in the fragment molecular orbital method. Chem. Phys. Lett. 597 (2014) 99-105.
95. H. Nakata, D. G. Fedorov, S. Yokojima, K. Kitaura, S. Nakamura. Derivatives of the approximated electrostatic potentials in unrestricted Hartree-Fock based on the fragment molecular orbital method and an application to polymer radicals. Theor. Chem. Acc. 133 (2014) 1477.
96. H. Nakata, D. G. Fedorov, S. Yokojima, K. Kitaura, M. Sakurai, S. Nakamura. Unrestricted density functional theory based on the fragment molecular orbital method for the ground and excited state calculations of large systems. J. Chem. Phys. 140 (2014) 144101.
97. H. Nakata, D. G. Fedorov, S. Yokojima, K. Kitaura, S. Nakamura. Efficient vibrational analysis for unrestricted Hartree-Fock based on the fragment molecular orbital method. Chem. Phys. Lett. 603 (2014) 67-74.
98. Y. Alexeev, D. G. Fedorov, A. A. Shvartsburg. Effective ion mobility calculations for macromolecules by scattering on electron clouds. J. Phys. Chem. A 118 (2014) 6763-6772.
99. H. Nakata, D. G. Fedorov, S. Yokojima, K. Kitaura, S. Nakamura. Simulations of Raman spectra using the fragment molecular orbital method. J. Chem. Theory Comput. 10 (2014) 3689-3698.
100. H. Nakata, M. W. Schmidt, D. G. Fedorov, K. Kitaura, S. Nakamura, M. S. Gordon. Efficient molecular dynamics simulations of multiple radical center systems based on the fragment molecular orbital method. J. Phys. Chem. A 118 (2014) 9762-9771.
101. M. Devereux, S. Raghunathan, D. G. Fedorov, M. Meuwly. A novel, computationally efficient multipolar model employing distributed charges for molecular dynamics simulations. J. Chem. Theory Comput. 10 (2014) 4229-4241.
102. Y. Nishimoto, D. G. Fedorov, S. Irlé. Density-functional tight-binding combined with the fragment molecular orbital method. J. Chem. Theory Comput. 10 (2014) 4801-4812.
103. K. R. Brorsen, F. Zahariev, H. Nakata, D. G. Fedorov, M. S. Gordon. Analytic gradient for density functional theory based on the fragment molecular orbital method. J. Chem. Theory Comput. 2014 (10) 5297-5307.
104. H. Nakata, D. G. Fedorov, F. Zahariev, M. W. Schmidt, K. Kitaura, M. S. Gordon, S. Nakamura. Analytic second derivative of the energy for density functional theory based on the three-body fragment molecular orbital method. J. Chem. Phys. 142 (2015) 124101.
105. H. Nakata, D. G. Fedorov, K. Kitaura, S. Nakamura. Extension of the fragment molecular orbital method to treat large open-shell systems in solution. Chem. Phys. Lett. 635 (2015) 86-92.
106. H. Nakata, D. G. Fedorov, T. Nagata, K. Kitaura, S. Nakamura. Simulations of chemical reactions with the frozen domain formulation of the fragment molecular orbital method. J. Chem. Theory Comput. 11 (2015) 3053-3064.

107. Y. Nishimoto, D. G. Fedorov, S. Irle. Third-order density-functional tight-binding combined with the fragment molecular orbital method. *Chem. Phys. Lett.* 636 (2015) 90-96.
108. Y. Nishimoto, H. Nakata, D. G. Fedorov, S. Irle. Large-scale quantum-mechanical molecular dynamics simulations using density-functional tight-binding combined with the fragment molecular orbital method. *J. Phys. Chem. Lett.* 6 (2015) 5034-5039.
109. A. Heifetz, E. I. Chudyk, L. Gleave, M. Aldeghi, V. Cherezov, D. G. Fedorov, P. C. Biggin, M. J. Bodkin. The fragment molecular orbital method reveals new insight into the chemical nature of GPCR-ligand interactions. *J. Chem. Inf. Model.* 56 (2016) 159-172.
110. M. C. Green, H. Nakata, D. G. Fedorov, L. V. Slipchenko. Radical damage in lipids investigated with the fragment molecular orbital method. *Chem. Phys. Lett.* 651 (2016) 56-61.
111. A. Heifetz, M. Aldeghi, E. I. Chudyk, D. G. Fedorov, M. J. Bodkin, P. C. Biggin. Using the fragment molecular orbital method to investigate agonist-orexin-2 receptor interactions. *Biochem. Soc. Trans.* 44 (2016) 574-581.
112. S. R. Pruitt, H. Nakata, T. Nagata, M. Mayes, Y. Alexeev, G. Fletcher, D. G. Fedorov, K. Kitaura, M. S. Gordon. Importance of three-body interactions in molecular dynamics simulations of water demonstrated with the fragment molecular orbital method. *J. Chem. Theory Comput.* 12 (2016) 1423-1435.
113. D. G. Fedorov, K. Kitaura. Subsystem analysis for the fragment molecular orbital method and its application to protein-ligand binding in solution. *J. Phys. Chem. A* 120 (2016) 2218-2231.
114. H. Nakata, Y. Nishimoto, D. G. Fedorov. Analytic second derivative of the energy for density-functional tight-binding combined with the fragment molecular orbital method. *J. Chem. Phys.* 145 (2016) 044113.
115. Y. Nishimoto, D. G. Fedorov. The fragment molecular orbital method combined with density-functional tight-binding and the polarizable continuum model. *Phys. Chem. Chem. Phys.* 18 (2016) 22047-22061.
116. H. Nakata, D. G. Fedorov. Efficient geometry optimization of large molecular systems in solution using the fragment molecular orbital method. *J. Phys. Chem. A* 120 (2016) 9794-9804.
117. Y. Nishimoto, D. G. Fedorov. Three-body expansion of the fragment molecular orbital method combined with density-functional tight-binding. *J. Comp. Chem.* 38 (2017) 406-418.
118. T. Shimazaki, K. Kitaura, D. G. Fedorov, T. Nakajima. Group molecular orbital approach to solve the Huzinaga subsystem self-consistent-field equations. *J. Chem. Phys.* 146 (2017) 084109.
119. I. Morao, D. G. Fedorov, R. Robinson, M. Southey, A. Townsend-Nicholson, M. J. Bodkin, A. Heifetz. Rapid and accurate assessment of GPCR-ligand interactions using the fragment molecular orbital-based density-functional tight-binding method. *J. Comp. Chem.* 38 (2017) 1987-1990.
120. H. Kitoh-Nishioka, K. Welke, Y. Nishimoto, D. G. Fedorov, S. Irle. Multiscale simulations on charge transport in covalent organic frameworks including dynamics

- of transfer integrals from the FMO-DFTB/LCMO approach. *J. Phys. Chem. C* 121 (2017) 17712-17726.
121. D. G. Fedorov, K. Kitaura. Many-body expansion of the Fock matrix in the fragment molecular orbital method. *J. Chem. Phys.* 147 (2017) 104106.
 122. D. G. Fedorov, K. Kitaura. Pair interaction energy decomposition analysis for density functional theory and density-functional tight-binding with an evaluation of energy fluctuations in molecular dynamics. *J. Phys. Chem. A* 122 (2018) 1781-1795.
 123. Y. Nishimoto, D. G. Fedorov. Adaptive frozen orbital treatment for the fragment molecular orbital method combined with density-functional tight-binding. *J. Chem. Phys.* 148 (2018) 064115.
 124. S. Ito, D. G. Fedorov, Y. Okamoto, S. Irle. Implementation of replica-exchange umbrella sampling in GAMESS. *Comp. Phys. Comm.* 228 (2018) 152-162.
 125. D. G. Fedorov. Analysis of solute-solvent interactions using the solvation model density combined with the fragment molecular orbital method. *Chem. Phys. Lett.* 702 (2018) 111-116.
 126. D. G. Fedorov, J. C. Kromann, J. H. Jensen. Empirical corrections and pair interaction energies in the fragment molecular orbital method. *Chem. Phys. Lett.* 706 (2018) 328-333.
 127. H. Nakata, D. G. Fedorov. Analytic second derivatives for the efficient electrostatic embedding in the fragment molecular orbital method. *J. Comp. Chem.* 39 (2018) 2039-2050.
 128. V. Mironov, Y. Alexeev, V. K. Mulligan, D. G. Fedorov. A systematic study of minima in alanine dipeptide. *J. Comp. Chem.* 40 (2019) 297-309.
 129. V. Mironov, Y. Alexeev, D. G. Fedorov. Multithreaded parallelization of the energy and analytic gradient in the fragment molecular orbital method. *Int. J. Quant. Chem.* 119 (2019) e25937.
 130. V. Q. Vuong, Y. Nishimoto, D. G. Fedorov, B. G. Sumpter, T. A. Niehaus, S. Irle. The fragment molecular orbital method based on long-range corrected density-functional tight-binding. *J. Chem. Theory Comput.* 15 (2019) 3008-3020.
 131. H. Nakata, D. G. Fedorov. Simulations of infrared and Raman spectra in solution using the fragment molecular orbital method. *Phys. Chem. Chem. Phys.* 21 (2019) 13641-13652.
 132. D. G. Fedorov, A. Brekhov, V. Mironov, Y. Alexeev. Molecular electrostatic potential and electron density of large systems in solution computed with the fragment molecular orbital method. *J. Phys. Chem. A* 123 (2019) 6281-6290.
 133. D. G. Fedorov. Solvent screening in zwitterions analyzed with the fragment molecular orbital method. *J. Chem. Theory Comput.* 15 (2019) 5404-5416.
 134. D. S. Kaliakin, D. G. Fedorov, Y. Alexeev, S. A. Varganov. Locating minimum energy crossings of different spin states using the fragment molecular orbital method. *J. Chem. Theory Comput.* 15 (2019) 6074-6084.
 135. M. A. Gerasimova, F. N. Tomilin, E. Y. Malyar, S. A. Varganov, D. G. Fedorov, S. G. Ovchinnikov, E. A. Slyusareva. Fluorescence and photoinduced proton transfer in the protolytic forms of fluorescein: Experimental and computational study. *Dyes Pigments* 173 (2020) 107851.
 136. O. S. Kolovskay, T. N. Zamay, G. S. Zamay, V. A. Babkin, E. N. Medvedeva, N. A. Neverova, A. K. Kirichenko, S. S. Zamay, I. N. Lapin, E. V. Morozov, A. E.

- Sokolov, A. A. Narodov, D. G. Fedorov, F. N. Tomilin, V. N. Zabluda, Y. Alekhina, K. A. Lukyanenko, Y. E. Glazyrin, V. A. Svetlichnyi, M. V. Berezovski, A. S. Kichkailo. Aptamer-conjugated superparamagnetic ferroarabinogalactan nanoparticles for targeted magnetodynamic therapy of cancer. *Cancers* 12 (2020) 216.
137. D. S. Kaliakin, H. Nakata, Y. Kim, Q. Chen, D. G. Fedorov, L. V. Slipchenko. FMOxFMO: elucidating excitonic interactions in the Fenna-Matthews-Olson complex with the fragment molecular orbital method. *J. Chem. Theory Comp.* 16 (2020) 1175-1187.
138. A. Heifetz, I. Morao, M. M. Babu, T. James, M. W. Y. Southey, D. G. Fedorov, M. Aldeghi, M. J. Bodkin, A. Townsend-Nicholson. Characterizing interhelical interactions of G-protein coupled receptors with the fragment molecular orbital method. *J. Chem. Theory Comput.* 16 (2020) 2814-2824.
139. D. G. Fedorov, Three-body energy decomposition analysis based on the fragment molecular orbital method. *J. Phys. Chem. A* 124 (2020) 4956-4971.
140. H. Nakata, D. G. Fedorov, Analytic first and second derivatives of the energy in the fragment molecular orbital method combined with molecular mechanics. *Int. J. Quantum Chem.* 120 (2020) e26414.
141. D. G. Fedorov, Partition analysis for density-functional tight-binding. *J. Phys. Chem. A* 124 (2020) 10346-10358.
142. Y. Nishimoto, D. G. Fedorov, The fragment molecular orbital method combined with density-functional tight-binding and periodic boundary conditions. *J. Chem. Phys.* 154 (2021) 111102.
143. F. N. Tomilin, A. V. Rogova, L. P. Burakova, O. N. Tchaikovskaya, P. V. Avramov, D. G. Fedorov, E. S. Vysotski, Unusual shift in the visible absorption spectrum of an active ctenophore photoprotein elucidated by time-dependent density functional theory. *Photoch. Photobiol. Sc.* 20 (2021) 559-570.
144. D. G. Fedorov, Partitioning of the vibrational free energy. *J. Phys. Chem. Lett.* 12 (2021) 6628-6633.
145. D. G. Fedorov, Electron density from the fragment molecular orbital method combined with density-functional tight-binding. *Chem. Phys. Lett.* 780 (2021) 138900.
146. D. Morozov, V. Mironov, R. V. Moryachkov, I. A. Shchugoreva, P. V. Artyushenko, G. S. Zamay, O. S. Kolovskaya, T. N. Zamay, A. V. Krat, D. S. Molodenskiy, V. N. Zabluda, D. V. Veprintsev, A. E. Sokolov, R. A. Zukov, M. V. Berezovski, F. N. Tomilin, D. G. Fedorov, Y. Alexeev, A. S. Kichkailo, The role of SAXS and molecular simulations in 3D structure elucidation of a DNA aptamer against lung cancer. *Mol. Ther. Nucl. Acids* 25 (2021) 316-327.
147. T. Nakamura, T. Yokaichiya, D. G. Fedorov, Quantum-mechanical structure optimization of protein crystals and analysis of interactions in periodic systems. *J. Phys. Chem. Lett.* 12 (2021) 8757-8762.
148. T. Nakamura, T. Yokaichiya, D. G. Fedorov, Analysis of guest adsorption on crystal surfaces based on the fragment molecular orbital method. *J. Phys. Chem. A* 126 (2022) 957-969.
149. D. G. Fedorov, T. Nakamura, Free energy decomposition analysis based on the fragment molecular orbital method. *J. Phys. Chem. Lett.* 13 (2022) 1596-1601.

150. C. Friedl, D. G. Fedorov, T. Renger, Towards a quantitative description of excitonic couplings in photosynthetic pigment-protein complexes: quantum chemistry driven multiscale approaches. *Phys. Chem. Chem. Phys.* 24 (2022) 5014-5038.
151. V. Mironov, I. A. Shchugoreva, P. V. Artyushenko, D. Morozov, N. Borbone, G. Oliviero, T. N. Zamay, R. V. Moryachkov, O. S. Kolovskaya, K. A. Lukyanenko, Y. Song, I. A. Merkuleva, V. N. Zabluda, G. Peters, L. S. Koroleva, D. V. Veprintsev, Y. E. Glazyrin, E. A. Volosnikova, S. V. Belenkaya, T. I. Esina, A. A. Isaeva, V. S. Nesmeyanova, D. V. Shanshin, A. N. Berlina, N. S. Komova, V. A. Svetlichnyi, V. N. Silnikov, D. N. Shcherbakov, G. S. Zamay, S. S. Zamay, T. Smolyarova, E. P. Tikhonova, K. H.-C. Chen, U.-S. Jeng, G. Condorelli, V. de Franciscis, G. Groenhof, C. Yang, A. A. Moskovsky, D. G. Fedorov, F. N. Tomilin, W. Tan, Y. Alexeev, M. V. Berezovski, A. S. Kichkailo, Structure- and interaction-based design of anti-SARS-CoV-2 aptamers. *Chem. Eur. J.* 28 (2022) e202104481.
152. T. Nakamura, D. G. Fedorov, The catalytic activity and adsorption in faujasite and ZSM-5 zeolites: the role of differential stabilization and charge delocalization. *Phys. Chem. Chem. Phys.* 24 (2022) 7739-7747.
153. D. G. Fedorov, Polarization energies in the fragment molecular orbital method. *J. Comp. Chem.* 43 (2022) 1094-1103.
154. S. Monteleone, D. G. Fedorov, A. Townsend-Nicholson, M. Southey, M. Bodkin, A. Heifetz, Hotspot identification and drug design of protein-protein interaction modulators using the fragment molecular orbital method. *J. Chem. Inf. Model.* 62 (2022) 3784-3799.
155. V. Sladek, D. G. Fedorov, The importance of charge transfer and solvent screening in the interactions of backbones and functional groups in amino acid residues and nucleotides. *Int. J. Mol. Sci.* 23 (2022) 13514.
156. H. Nakata, D. G. Fedorov, Analytic gradient for time-dependent density functional theory combined with the fragment molecular orbital method. *J. Chem. Theory Comp.* 19 (2023) 1276-1285.
157. D. G. Fedorov, B. Q. Pham, Multi-level parallelization of quantum-chemical calculations. *J. Chem. Phys.* 158 (2023) 164106.
158. D. G. Fedorov, Site-specific ionization potentials and electron affinities in large molecular systems at coupled cluster level. *J. Phys. Chem. A* 127 (2023) 9357-9364.
159. D. G. Fedorov, Analysis of site energies and excitonic couplings: the role of symmetry and polarization. *J. Phys. Chem. A* 128 (2024) 1154-1162.
160. D. G. Fedorov, Use of caps in the auxiliary basis set formulation of the fragment molecular orbital method. *J. Comp. Chem.* 45 (2024) 1540-1551.
161. D. G. Fedorov, Partition analysis of dipole moments in solution applied to functional groups in polypeptide motifs, *Phys. Chem. Chem. Phys.* 26 (2024) 18614-18628.
162. D. G. Fedorov, The peptide bond: resonance increases bond order and complicates fragmentation. *ChemPhysChem* 25 (2024) e202400170.

Review papers (all invited)

1. D. G. Fedorov, S. Koseki, M. W. Schmidt, M. S. Gordon, Spin-orbit coupling in molecules: chemistry beyond the adiabatic approximation. *Int. Rev. Phys. Chem.* 22 (2003) 551-592.
2. D. G. Fedorov, K. Kitaura, Extending the power of quantum chemistry to large systems with the fragment molecular orbital method. *J. Phys. Chem. A* 111 (2007) 6904-6914 (**Feature Article**).
3. Y. Komeiji, Y. Mochizuki, T. Nakano, D. G. Fedorov, Fragment molecular orbital-based molecular dynamics (FMO-MD), a quantum simulation tool for large molecular systems. *J. Mol. Str. (THEOCHEM)* 898 (2009) 2-7.
4. M. S. Gordon, D. G. Fedorov, S. R. Pruitt, L. V. Slipchenko, Fragmentation methods: a route to accurate calculations on large systems. *Chem. Rev.* 112 (2012) 632-672.
5. D. G. Fedorov, T. Nagata, K. Kitaura. Exploring chemistry with the fragment molecular orbital method. *Phys. Chem. Chem. Phys.* 14 (2012) 7562-7577 (**Perspective**).
6. Y. Alexeev, M. P. Mazanetz, O. Ichihara, D. G. Fedorov. GAMESS as a free quantum-mechanical platform for drug research. *Curr. Top. Med. Chem.* 12 (2012) 2013-2033.
7. D. G. Fedorov, N. Asada, I. Nakanishi, K. Kitaura. The use of many-body expansions and geometry optimizations in fragment-based methods. *Acc. Chem. Res.* 47 (2014) 2846-2856.
8. D. G. Fedorov. The fragment molecular orbital method: theoretical development, implementation in GAMESS, and applications. *WIREs: Comp. Mol. Sc.* 7 (2017) e1322.
9. A. Heifetz, T. James, M. Southey, I. Morao, M. Aldeghi, L. Sarrat, D. G. Fedorov, M. J. Bodkin, A. Townsend-Nicholson, Characterising GPCR-ligand interactions using a fragment molecular orbital-based approach. *Curr. Opin. Struct. Biol.* 55 (2019) 85-92.
10. G. M. J. Barca, C. Bertoni, L. Carrington, D. Datta, N. D. Silva, J. E. Deustua, D. G. Fedorov, J. R. Gour, A. O. Gunina, E. Guidez, T. Harville, S. Irle, J. Ivanic, K. Kowalski, S. S. Leang, H. Li, W. Li, J. J. Lutz, I. Magoulas, J. Mato, V. Mironov, H. Nakata, B. Q. Pham, P. Piecuch, D. Poole, S. R. Pruitt, A. P. Rendell, L. B. Roskop, K. Ruedenberg, T. Sattasathuchana, M. W. Schmidt, J. Shen, L. Slipchenko, M. Sosonkina, V. Sundriyal, A. Tiwari, J. L. G. Vallejo, B. Westheimer, M. Włoch, P. Xu, F. Zahariev, M. S. Gordon, Recent developments in the general atomic and molecular electronic structure system. *J. Chem. Phys.* 152 (2020) 154102.
11. D. G. Fedorov, Parametrized quantum-mechanical approaches combined with the fragment molecular orbital method. *J. Chem. Phys.* 157 (2022) 231001.

Book chapters

1. M. S. Gordon, S. P. Webb, T. Kudo, B. M. Bode, J. Moc, D. G. Fedorov, G. Chung, Titanium chemistry. In *Computational organometallic chemistry*, T. R. Cundari, Ed., Marcel Dekker, Inc., New York, 2001, pp. 275-290.

2. D. G. Fedorov, M. S. Gordon, Symmetry in spin-orbit coupling. In *Low-lying potential energy surfaces*; M. R. Hoffmann, K. G. Dyall, Eds., ACS Symposium Series 828, American Chemical Society, Washington, DC, 2002, pp. 276-299.
3. D. G. Fedorov, M. W. Schmidt, S. Koseki, M. S. Gordon, Spin-orbit coupling methods and applications to chemistry. In *Recent advances in relativistic molecular theory*, Vol. 5, K. Hirao, Y. Ishikawa, Eds., World Scientific, Singapore, 2004, pp. 107-136.
4. D. G. Fedorov, K. Kitaura, Theoretical development of the fragment molecular orbital (FMO) method. In *Modern methods for theoretical physical chemistry of biopolymers*, E. B. Starikov, J. P. Lewis, S. Tanaka, Eds., Elsevier, Amsterdam, 2006, pp. 3-38.
5. K. Kitaura, D. G. Fedorov, Introduction. In *The fragment molecular orbital method: practical applications to large molecular systems*, D. G. Fedorov, K. Kitaura, Eds., CRC Press, Boca Raton, FL, 2009, pp. 1-3.
6. D. G. Fedorov, K. Kitaura, Theoretical background of the fragment molecular orbital (FMO) method and its implementation in GAMESS. In *The fragment molecular orbital method: practical applications to large molecular systems*, D. G. Fedorov, K. Kitaura, Eds., CRC Press, Boca Raton, FL, 2009, pp. 5-36.
7. M. Chiba, D. G. Fedorov, K. Kitaura, The fragment molecular orbital - based time-dependent density functional theory for excited states in large systems. In *The fragment molecular orbital method: practical applications to large molecular systems*, D. G. Fedorov, K. Kitaura, Eds., CRC Press, Boca Raton, FL, 2009, pp. 91-118.
8. I. Nakanishi, D. G. Fedorov, K. Kitaura, Detailed electronic structure studies revealing the nature of protein-ligand binding. In *The fragment molecular orbital method: practical applications to large molecular systems*, D. G. Fedorov, K. Kitaura, Eds., CRC Press, Boca Raton, FL, 2009, pp. 171-192.
9. T. Nagata, D. G. Fedorov, K. Kitaura. Mathematical Formulation of the fragment molecular orbital method. In *Linear-Scaling Techniques in Computational Chemistry and Physics*. R. Zalesny, M. G. Papadopoulos, P. G. Mezey, J. Leszczynski, Eds., Springer, New York, 2011, pp. 17-64.
10. M. P. Mazanetz, E. Chudyk, D. G. Fedorov, Y. Alexeev, Applications of the fragment molecular orbital method to drug research. In *Computer aided drug discovery*. W. Zhang, Ed., Springer, New York, 2016, pp. 217-255.
11. D. G. Fedorov, K. Kitaura, Modeling and visualization for the fragment molecular orbital method with the graphical user interface FU, and analyses of protein-ligand binding. In *Fragmentation: toward accurate calculations on complex molecular systems*. M. S. Gordon, Ed, Wiley, Hoboken, 2017, pp. 119-139.
12. E. I. Chudyk, L. Sarraf, M. Aldeghi, D. G. Fedorov, M. J. Bodkin, T. James, M. Southey, R. Robinson, I. Morao, A. Heifetz, Exploring GPCR-ligand interactions with the fragment molecular orbital (FMO) Method. In *Computational methods for GPCR drug discovery*. A. Heifetz (Ed.), Humana Press, New York, 2018, pp. 179-195.
13. D. G. Fedorov, Analyzing Interactions with the Fragment Molecular Orbital Method. In *Quantum mechanics in drug discovery*, A. Heifetz (Ed.), Methods in molecular biology, vol. 2114, pp. 49-73, Springer, New York, 2020.
14. H. Nakata, D. G. Fedorov, Geometry optimization, transition state search, and reaction path mapping accomplished with the fragment molecular orbital method. In

- Quantum mechanics in drug discovery*, A. Heifetz (Ed.), Methods in molecular biology, vol. 2114, pp. 87-104, Springer, New York, 2020.
15. D. G. Fedorov, H. Li, V. Mironov, Y. Alexeev, Computational methods for biochemical simulations implemented in GAMESS. In *Quantum mechanics in drug discovery*, A. Heifetz (Ed.), Methods in molecular biology, vol. 2114, pp. 123-142, Springer, New York, 2020.
 16. I. Morao, A. Heifetz, D. G. Fedorov, Accurate scoring in seconds with the fragment molecular orbital and density-functional tight-binding methods. In *Quantum mechanics in drug discovery*, A. Heifetz (Ed.), Methods in molecular biology, vol. 2114, pp. 143-148, Springer, New York, 2020.
 17. A. Heifetz, T. James, M. Southey, I. Morao, D. G. Fedorov, M. J. Bodkin, A. Townsend-Nicholson, Analyzing GPCR-ligand interactions with the fragment molecular orbital (FMO) method. In *Quantum mechanics in drug discovery*, A. Heifetz (Ed.), Methods in molecular biology, vol. 2114, pp. 163-176, Springer, New York, 2020.
 18. A. Heifetz, V. Sladek, A. Townsend-Nicholson, D. G. Fedorov, Characterizing Protein-Protein Interactions with the Fragment Molecular Orbital Method. In *Quantum mechanics in drug discovery*, A. Heifetz (Ed.), Methods in molecular biology, vol. 2114, pp. 187-206, Springer, New York, 2020.
 19. D. G. Fedorov, Recent development of the fragment molecular orbital method in GAMESS. In *Recent advances of the fragment molecular orbital method*, Y. Mochizuki, S. Tanaka, K. Fukuzawa (Eds), pp. 31-51, Springer, Singapore, 2021.
 20. A. Heifetz, P. V. Coveney, D. G. Fedorov, I. Morao, T. James, M. Southey, K. Papadopoulos, M. J. Bodkin, A. Townsend-Nicholson. Pharmaceutical industry-academia cooperation. In *Recent advances of the fragment molecular orbital method*, Y. Mochizuki, S. Tanaka, K. Fukuzawa (Eds), pp. 307-322, Springer, Singapore, 2021.
 21. H. Nakata, D. G. Fedorov, Development of the analytic second derivatives for the fragment molecular orbital method. In *Recent advances of the fragment molecular orbital method*, pp. 425-458, Y. Mochizuki, S. Tanaka, K. Fukuzawa (Eds), Springer, Singapore, 2021.
 22. I. Fujino, D. G. Fedorov, K. Kitaura. Application of the fragment molecular orbital method to organic charge transport materials in xerography: a feasibility study and a charge mobility analysis. In *Recent advances of the fragment molecular orbital method*, pp. 567-587, Y. Mochizuki, S. Tanaka, K. Fukuzawa (Eds), Springer, Singapore, 2021.
 23. V. A. Mironov, Y. Alexeev, D. G. Fedorov, H. Umeda, S. Pruitt, A. Gaenko, M. S. Gordon. Multi-level parallelization of the fragment molecular orbital method in GAMESS. In *Recent advances of the fragment molecular orbital method*, pp. 601-616, Y. Mochizuki, S. Tanaka, K. Fukuzawa (Eds), Springer, Singapore, 2021.
 24. D. G. Fedorov, Quantum-chemical analyses of interactions for biochemical applications. In *Computational drug discovery: methods and applications*, V. Poongavanam, V. Ramaswamy (Eds.), Wiley, 2024, pp. 183-210.

Books

D. G. Fedorov, Complete guide to the fragment molecular orbital method in GAMESS, World Scientific, Singapore, 2023.

Book Editing

D. G. Fedorov, K. Kitaura, Eds., *The fragment molecular orbital method: practical applications to large molecular systems*. 288 pages. CRC Press, Boca Raton, FL, 2009.

Selected invited talks

1. *Pacifichem*, Honolulu, 2010. Fragment molecular orbital method as a tool for practical chemistry.
2. *ACS national meeting*, Denver, 2011. The fragment molecular orbital method as a tool for chemical applications on petascale computers.
3. *ISTCP-7*, Tokyo, 2011. Recent development of the fragment molecular orbital method.
4. *Pacifichem*, Honolulu, 2015. Radical development of the fragment molecular orbital method.
5. *TACC2023*, Sapporo, 2023. Molecular binding and interactions analyzed with quantum-chemical calculations
6. *ANSCSE27*, Bangkok, 2024. Understanding interactions in large molecular systems